

電池盒 電池釦 端子




常利興業股份有限公司
COMFORTABLE ELECTRONIC CO., LTD.

HOW TO USE THIS CATALOG

電池盒電池釦號碼讀法如下圖所示

The method of reading the battery holder number is as shown below.
(Example)



The method of reading the battery snap number is as shown below.
(Example)



TYPE	CRIMPING			CT-CRIMPING		
	PVC.VINYL	RIGID	SAFETY	PVC.VINYL	RIGID	SAFETY
I	BS-IC	BS-IR BS-IR-1	SBS-IR-1	BS-ICCT	BS-IRCT BS-IRCT-1	SBS-IRCT-1
E	BS-EC	BS-ER BS-ER-1	SBS-ER	BS-ECCT	BS-ERCT BS-ERCT-1	SBS-ERCT
T	BS-TC	BS-TR		BS-TCCT	BS-TRCT	
P	BS-PC			BS-PCCT		

INDEX

CONTENTS

PAGE

UM-1 Battery Holder	01
UM-2 Battery Holder	02
UM-3 Battery Holder	04
UM-4 Battery Holder	07
UM-5 Battery Holder	08
Other Battery Holder	09
Safety Battery Holder	10
Coin Cell Holder	14
Battery Clips	16
Battery Snap	18
Series Battery Holder and Battery Snap With Special Design.....	21
Battery Contacts	22
Lead Wire, Terminal & Connector.....	28






COMFORTABLE ELECTRONIC CO., LTD.

Tel : 886-2-32347735 Fax : 886-2-32347739 http://www.comf.com.tw

Battery Holder

UM-1 OR 'D' SIZE OR EQUIV

SAI ISO 9001 認證
SAI ISO 14001 認證



COMFORTABLE ELECTRONIC CO., LTD.



Tel : 886-2-32347735 Fax : 886-2-32347739 http://www.comf.com.tw

品質政策：卓越管理 優良品質 準確交期




Battery Holder

UM - 1 OR 'D' SIZE OR EQUIV

SAI ISO 9001 認證
SAI ISO 14001 認證




UM - 2 OR 'C' SIZE OR EQUIV


















Battery Holder











UM - 2 OR 'C' SIZE OR EQUIV

SAI ISO 9001 認證
SAI ISO 14001 認證



BH311-1A
BH311-1D FOR ONE "AA" CELL
BH311-1PBH311-2A
BH311-2D FOR ONE "AA" CELL
BH311-2PBH311-3A
BH311-3D FOR ONE "AA" CELL
BH311-3PBH321-1A,AS
BH321-1B FOR TWO "AA" CELLS
BH321-1D
BH321-1PBH321-2A,AS
BH321-2D FOR TWO "AA" CELLS
BH321-2PBH321-3A
BH321-3B FOR TWO "AA" CELLS
BH321-3D
BH321-3PBH321-4A
BH321-4B FOR TWO "AA" CELLS
BH321-4D
BH321-4PBH321-5A
BH321-5B FOR TWO "AA" CELLS
BH321-5D
BH321-5PBH322-1A
BH322-1B FOR TWO "AA" CELLS
BH322-1DBH324A
BH324D FOR TWO "AA" CELLSBH325A
BH325AS FOR TWO "AA" CELLSBH325-1A
BH325-1AS FOR TWO "AA" CELLSBH331A
BH331B FOR THREE "AA" CELLS
BH331D
BH331PBH331-1A
BH331-1B FOR THREE "AA" CELLS
BH331-1D
BH331-1PBH331-2A
BH331-2B FOR THREE "AA" CELLS
BH331-2D
BH331-2P

BH332A FOR THREE "AA" CELLS


BH333A
BH333D FOR THREE "AA" CELLS
BH333PBH341-1A
BH341-1B FOR FOUR "AA" CELLS
BH341-1D
BH341-1PBH341-2A
BH341-2B FOR FOUR "AA" CELLS
BH341-2D
BH341-2PBH341-3A
BH341-3B FOR FOUR "AA" CELLS
BH341-3D
BH341-3PBH342-1A
BH342-1B FOR FOUR "AA" CELLS
BH342-1DBH343-1A
BH343-1B FOR FOUR "AA" CELLS
BH343-1DBH343-2A
BH343-2B FOR FOUR "AA" CELLS
BH343-2DBH344A
BH344B FOR FOUR "AA" CELLS
BH344D
BH344P

Battery Holder

UM - 3 OR 'AA' SIZE OR EQUIV

SAI ISO 9001 認證
SAI ISO 14001 認證

BH351A
BH351B
BH351D FOR FIVE "AA" CELLS




BH361A
BH361B
BH361D FOR SIX "AA" CELLS




BH362A
BH362B
BH362D
BH362P FOR SIX "AA" CELLS



BH363A
BH363B
BH363D FOR SIX "AA" CELLS



BH364A
BH364D FOR SIX "AA" CELLS




BH365A
BH365B
BH365D FOR SIX "AA" CELLS




BH381A
BH381B
BH381D FOR EIGHT "AA" CELLS




BH381-2A
BH381-2B
BH381-2D FOR EIGHT "AA" CELLS




BH382A
BH382B
BH382D FOR EIGHT "AA" CELLS




BH383A
BH383B
BH383D FOR EIGHT "AA" CELLS



BH3101A
BH3101D FOR TEN "AA" CELLS



BH3103-1A
BH3103-1B
BH3103-1D FOR TEN "AA" CELLS



Battery Holder

UM - 4 OR 'AAA' SIZE OR EQUIV

SAI ISO 9001 認證
SAI ISO 14001 認證

BH411A
BH411D
BH411P FOR ONE "AAA" CELL




BH411-1A
BH411-1D
BH411-1P FOR ONE "AAA" CELL




BH411-2A
BH411-2D
BH411-2P FOR ONE "AAA" CELL



BH421A
BH421B
BH421D
BH421P FOR TWO "AAA" CELLS



BH421-1A
BH421-1B
BH421-1D
BH421-1P FOR TWO "AAA" CELLS



BH421-3A
BH421-3B
BH421-3D
BH421-3P FOR TWO "AAA" CELLS




BH421-4A
BH421-4B
BH421-4D
BH421-4P FOR TWO "AAA" CELLS



BH422A
BH422D FOR TWO "AAA" CELLS



BH422-1A
BH422-1D FOR TWO "AAA" CELLS



BH425A
BH425D
BH425P FOR TWO "AAA" CELLS



BH431-1A
BH431-1B
BH431-1D
BH431-1P FOR THREE "AAA" CELLS



BH432 FOR THREE "AAA" CELLS



Battery Holder

UM - 4 OR 'AAA' SIZE OR EQUIV

SAI ISO 9001 認證
SAI ISO 14001 認證





UM - 5 OR 'N' SIZE OR EQUIV



Battery Holder

OTHER BATTERY HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證



Battery Holder


SAFETY BATTERY HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證

SBH-131A
SBH-131B
SBH-131D

FOR THREE "D" CELLS


NEW



SBH-141A
SBH-141B
SBH-141D


FOR FOUR "D" CELLS

NEW




SBH-221A
SBH-221AS

FOR TWO "C" CELLS




SBH-231A
SBH-231B
SBH-231D

FOR THREE "C" CELLS




SBH-321-1A
SBH-321-1AS

FOR TWO "AA" CELLS



SBH-321-2A

FOR TWO "AA" CELLS




Battery Holder

SAFETY BATTERY HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證

SBH-321-3A
SBH-321-3AS


FOR TWO "AA" CELLS



SBH-321-4A
SBH-321-4AS
SBH-321-4D
SBH-321-4DS


FOR TWO "AA" CELLS

NEW




SBH-331A
SBH-331AS

FOR THREE "AA" CELLS




SBH-331-2A
SBH-331-2AS

FOR THREE "AA" CELLS




SBH-341-1A
SBH-341-1AS

FOR FOUR "AA" CELLS



SBH-341-2A
SBH-341-2AS

FOR FOUR "AA" CELLS



經營理念：誠信 勤勞 創新


Battery Holder

SAFETY BATTERY HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證


SBH-341-3A
SBH-341-3AS
SBH-341-3S/USB

FOR FOUR "AA" CELLS




SBH-341-4A
SBH-341-4AS

FOR FOUR "AA" CELLS




SBH-361A
SBH-361D

FOR SIX "AA" CELLS




SBH-3201S/MV FOR TWENTY "AA" CELLS




SBH-421-1A
SBH-421-1AS

FOR TWO "AAA" CELLS



SBH-421-2A FOR TWO "AAA" CELLS




Battery Holder

SAFETY BATTERY HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證


SBH-431A
SBH-431B
SBH-431D
SBH-431P

FOR THREE "AAA" CELLS



SBH-431-1A
SBH-431-1AS


FOR THREE "AAA" CELLS



SBH-431-2A
SBH-431-2AS
SBH-431-2S/2LED

FOR THREE "AAA" CELLS

NEW




SBH-441A
SBH-441AS

FOR FOUR "AAA" CELLS



SBH-9VA
SBH-9VAS
SBH-9VP


FOR ONE "9V" CELL



SBH-9V-COM

FOR ONE "9V" CELL

NEW



品質政策：卓越管理 優良品質 準確交期


Battery Holder COIN CELL HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證




Battery Holder COIN CELL HOLDER

SAI ISO 9001 認證
SAI ISO 14001 認證



- 台灣、香港接單，香港、大陸交貨
- 成型模具設計
- 塑膠射出製造



Battery Holder BATTERY CLIPS

SAI ISO 9001
SAI ISO 14001 認證



COMFORTABLE ELECTRONIC CO., LTD.

Tel : 886-2-32347735 Fax : 886-2-32347739 <http://www.comf.com.tw>

Battery Holder BATTERY CLIPS

SAI ISO 9001
SAI ISO 14001 認證



. Tray and Reel Tape
are acceptable for
manufacturing



COMFORTABLE ELECTRONIC CO., LTD.


Tel : 886-2-32347735 Fax : 886-2-32347739 <http://www.comf.com.tw>

BATTERY SNAP

TYPE : I、E、T、P

- 1.CRIMPING : U.S.PAT NO.5.312.269
- 2.CT-CRIMPING : U.S.PAT NO.6,478,633 B1

FOR 9V CELL

TYPE	CRIMPING			
	PVC.VINYL	RIGID		SAFETY
I	BS-IC 	BS-IR 	BS-IR-1 	SBS-IR-1 
E	BS-EC 	BS-ER 	BS-ER-1 	SBS-ER 
T	BS-TC 	BS-TR 	-----	-----
P	BS-PC 	-----	-----	-----


BATTERY SNAP

CYLINDRICAL TERMINAL RIVET (CT-CRIMPING)



- ADVANTAGES:
- *LeadFree
 - *Prevent the foreign liquid spread into riveted spot.
 - *Increase the torque strength

FOR 9V CELL

TYPE	CT-CRIMPING			
	PVC.VINYL	RIGID		SAFETY
I	BS-ICCT 	BS-IRCT 	BS-IRCT-1 	SBS-IRCT-1 
E	BS-ECCT 	BS-ERCT 	BS-ERCT-1 	SBS-ERCT 
T	BS-TCCT 	BS-TRCT 	-----	-----
P	BS-PCCT 	-----	-----	-----













經營理念：誠信 勤勞 創新

品質政策：卓越管理 優良品質 準確交期



Battery Holder BATTERY SNAP

SAI ISO 9001 認證
SAI ISO 14001 認證

BS-M-A BS-M-B BS-M-D FOR 9V CELL 	BS-M-1A BS-M-1B BS-M-1D FOR 9V CELL 	BS-M-2A BS-M-2B BS-M-2D FOR 9V CELL 
BS-M-3A BS-M-3B BS-M-3D FOR 9V CELL 	BS-M-4A BS-M-4B BS-M-4D FOR TWO 9V CELLS 	BS-M-5A BS-M-5B BS-M-5D FOR 9V CELL 
BS-M-6A BS-M-6B BS-M-6D FOR 9V CELL 	BS-M-7A BS-M-7B BS-M-7D FOR 9V CELL 	BS-M-8A BS-M-8B BS-M-8D FOR 9V CELL 
BS-M-9A BS-M-9B BS-M-9D FOR TWO 9V CELLS 	BS-M-10A BS-M-10B BS-M-10D FOR 9V CELL NEW 	BS-M-11A BS-M-11B BS-M-11D FOR 9V CELL NEW 

SERIES BATTERY HOLDER AND BATTERY SANP WITH SPECIAL DESIGN





SAI ISO 9001 認證
SAI ISO 14001 認證







MANY ADDITIONAL STYLES ARE AVAILABLE.
CUSTOM DESIGNS AND VARIATIONS OF STANDARD PARTS
CAN BE PRODUCED TO MEET YOUR REQUIREMENTS.
PLEASE CONTACT WITH US.



BATTERY CONTACTS




BATTERY CONTACTS




BATTERY CONTACTS

304-2

Anode



Anode-Cathode




304-3

Anode




Anode-Cathode




305

Anode




306

Anode




307

Anode-Anode



Cathode-Cathode



308

Anode



Cathode



Cathode-Cathode



308-1

Cathode




309

Anode




Cathode




310

Anode




Anode-Cathode




311

Anode




Long-Cathode




BATTERY CONTACTS

313

Anode




Cathode-Anode




314

Anode




Cathode




315

Anode




Cathode




317


Cathode



Anode-Cathode



Cathode-Anode



318

Anode



Cathode



Cathode-Anode



319

Anode



Cathode



401


Anode




Cathode




Long-Cathode







Anode-Cathode







Cathode-Anode



BATTERY CONTACTS



BATTERY CONTACTS



LEAD WIRE TERMINAL CONNECTOR



經營理念：誠信 勤勞 創新

公司簡介 COMPANY PROFILE


常利興業專業生產電池盒、電池釦已有30年以上經驗，除傳統性產品外，並做多項改良，使兼具安全性及實用性。

Comfortable Electronic Co., Ltd. is a professional manufacturer and exporter of Battery Holder and Battery Snap more than 30 years, We are constantly to improve itself under the concepts of aggressive innovation.



專利種類：

1. 端釦釘
2. 端子式電池釦
3. 安全電池釦
4. 安全電池盒
5. 電池盒極性保護裝置
6. 套筒式端釦釘及使用它的電池釦
7. 具極性突緣之電池盒
8. 具電源輸出 / 入之電池盒



FULLY AUTOMATIC
CRIMPING MACHINE

EACH OF **COMF** BRAND BATTERY HOLDERS AND BATTERY SNAPS OWN ONE OR MORE PATENTS ABOUT STRUCTURE OF TERMINAL RIVET, CRIMPED, OR POLARITY PROTECTION. WE DIVIDE IT FROM TRADITIONAL SOLDERING TYPE TO WHICH NAMED " CRIMPING TYPE " BATTERY SNAPS. AND SAFETY BATTERY SNAPS OR SAFETY BATTERY HOLDERS.

THE WIRE COMPLY WITH THE STANDARD OF UL CSA MADE BY FULLY AUTOMATIC CRIMPING MACHINE THAT MADE IN SWITZERLAND WHICH HAS HONOR KOMAX BRAND. THE ONE PUNCH CAN BE MADE TERMINAL, RIVET, AND THE LEAD WIRE AT THE SAME TIME. IT ALSO CAN REDUCING THE WIRE CONTENT OF Pb.

THE POLARITY PROTECTIVE DEVICE OF THE BATTERY HOLDER WILL PROTECT YOUR EQUIPMENT FROM BEING DAMAGED WHEN YOU LOAD THE BATTERY IN REVERSE POLARITY.

品質政策：卓越管理 優良品質 準確交期

本公司專業生產的電池盒、電池釦及安全電池盒、安全電池釦自80年起陸續取得西德、中國、日本、泰國、越南、紐西蘭、新加坡、馬來西亞、台灣及美國之多項專利權

The safety battery holders and the battery snaps(clip) made by us have been patented in Germany, China Mainland, Japan, Thailand, Vietnam, New Zealand, Singapore, Malaysia, Taiwan, and the USA. since 1991.



端鉚釘

STRUCTURE OF TERMINAL RIVET
TAIWAN PAT. NO.55806
WEST GERMANY PAT. NO.G 90 07123.9



電池盒極性保護裝置

SAFETY BATTERY CASE
(POLARITY PROTECT OF BATTERY CASE)
TAIWAN PAT. NO.57767
WEST GERMANY PAT. NO. G 90 13 725.6

常利興業股份有限公司

COMFORTABLE ELECTRONIC CO., LTD.
公司：台北縣中和市立德街142號3樓
工廠：台北縣中和市立德街132號3樓
3F. NO. 142, Li-Teh Street, Chung Ho City,
Taipei Hsien, Taiwan, R. O. C.
TEL : 886-2-32347735 . 32348056
FAX : 886-2-32347739 . 32348039
<http://www.comf.com.tw>
<http://www.globalsources.com/comf.co>
E-mail : comf@seed.net.tw
E-mail : comf.co@msa.hinet.net



RoHS
Compliant

常利貿易(H.K)有限公司

COMF COMPANY
香港九龍灣臨興街32號美羅中心1期15樓11室
Flat 11, 15/F, Metro Centre 1, No. 32. Lam
Hing St, Kowloon Bay. HONG KONG
TEL : 852-2770-5181 FAX : 852-2798-8129
E-mail : comfcompany@ctimail.com
E-mail:comfhk@on-nets.com
東莞石排常利電子廠
地址：廣東省東莞市石排鎮塘尾工商業開發區
TEL : 86-769-86656535 FAX : 86-769-86653700