




**成都亿佰特电子科技有限公司**  
Chengdu Ebyte Electronic Technology Co.,Ltd.

## TX2400-PCB-4811\_Datasheet\_ v1.1

### Product




### Physical parameter

No.	Parameter item	Parameter details & Description
1	Model	TX2400-PCB-4811
2	Size	48mm*11mm
3	Average Weight	1g
4	Shape Feature	"7" shape
5	Color in plastic	Green
6	Shell Material	PCB
7	Connector Type	IPX
8	Cable Length	150 ±2mm

### Electrical parameter


No.	The parameter name	Parameter value details
1	Frequency range	2.4GHz-2.5GHz
2	The biggest gain	3 dBi
3	Standing wave ratio	≤ 1.5
4	Power capacity	2 W
5	The input impedance	50 Ω
6	Polarization form	Linear polarization

## Size



## Agilent E5071C Test Report


### 1、SWR



### 2、Smith(R+jx)

▶ S11 Smith (R+jX) Scale 1.000u [F1]

>1 2.450000 GHz 44.810 Ω 2.2403 Ω 145.53 pF



## About us

Technical support: [support@cdebyte.com](mailto:support@cdebyte.com)

Documents and RF Setting download link: [www.ebyte.com](http://www.ebyte.com)

Thank you for using Ebyte products! Please contact us with any questions or suggestions: [sales@cdebyte.com](mailto:sales@cdebyte.com)

-----  
Fax: 028-64146160 ext. 821

Web: [www.ebyte.com](http://www.ebyte.com)

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

 **成都亿佰特电子科技有限公司**  
**Chengdu Ebyte Electronic Technology Co.,Ltd.**