





L-34SL	L-1344	L-1154	L-132X	L-174X
--------	--------	--------	--------	--------


Part No.	Emitting Color + Material	Wave-length (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2 θ 1/2	Dimension
				Min.	Max.		

L-34HDSL	GaP	700	red diffused	1.3	3.2	60°	T-1 (3mm) Round 
L-34IDSL	GaAsP/GaP	625	red diffused	8	50	60°	
L-34GDSL	GaP	565	green diffused	5	32	60°	
L-34YDSL	GaAsP/GaP	590	yellow diffused	5	20	60°	

L-1344HD	GaP	700	red diffused	1.3	5	60°	T-1 (3mm) Round 
L-1344ID	GaAsP/GaP	625	red diffused	8	50	60°	
L-1344IT	GaAsP/GaP	625	red transparent	20	125	50°	
L-1344GD	GaP	565	green diffused	8	32	60°	
L-1344GT	GaP	565	green transparent	20	80	50°	
L-1344YD	GaAsP/GaP	590	yellow diffused	8	32	60°	
L-1344YT	GaAsP/GaP	590	yellow transparent	10	50	50°	

L-1154HD	GaP	700	red diffused	1.3	5	60°	T-1 (3mm) Round 
L-1154HT	GaP	700	red transparent	2	8	50°	
L-1154ID	GaAsP/GaP	625	red diffused	8	50	60°	
L-1154IT	GaAsP/GaP	625	red transparent	20	125	50°	
L-1154GD	GaP	565	green diffused	8	32	60°	
L-1154GT	GaP	565	green transparent	20	80	50°	
L-1154YD	GaAsP/GaP	590	yellow diffused	8	32	60°	
L-1154YT	GaAsP/GaP	590	yellow transparent	10	50	50°	
L-1154ND	GaAsP/GaP	610	orange diffused	8	50	60°	
L-1154NT	GaAsP/GaP	610	orange transparent	20	125	50°	
L-1154PGD	GaP	555	green diffused	2	8	60°	
L-1154PGT	GaP	555	green transparent	3.2	20	50°	

L-132XHD	GaP	700	red diffused	1.3	5	60°	T-1 (3mm) Round 
L-132XHT	GaP	700	red transparent	2	8	50°	
L-132XID	GaAsP/GaP	625	red diffused	8	50	60°	
L-132XIT	GaAsP/GaP	625	red transparent	20	125	50°	
L-132XGD	GaP	565	green diffused	8	32	60°	
L-132XGT	GaP	565	green transparent	20	80	50°	
L-132XGC	GaP	565	water clear	20	80	50°	
L-132XYD	GaAsP/GaP	590	yellow diffused	8	32	60°	
L-132XYT	GaAsP/GaP	590	yellow transparent	10	50	50°	
L-132XYC	GaAsP/GaP	590	water clear	10	50	50°	
L-132XND	GaAsP/GaP	610	orange diffused	8	50	60°	
L-132XNT	GaAsP/GaP	610	orange transparent	20	125	50°	
L-132XNC	GaAsP/GaP	610	water clear	20	125	50°	
L-132XPGD	GaP	555	green diffused	2	8	60°	
L-132XPGT	GaP	555	green transparent	3.2	20	50°	
L-132XPGC	GaP	555	water clear	3.2	20	50°	

L-174XHT	GaP	700	red transparent	2	8	100°	3.2mm Round 
L-174XIT	GaAsP/GaP	625	red transparent	8	32	100°	
L-174XGT	GaP	565	green transparent	8	32	100°	
L-174XYT	GaAsP/GaP	590	yellow transparent	8	32	100°	
L-174XSRT	GaAlAs	660	red transparent	*100	*500	100°	

NOTES :

1. All dimensions are in millimeters (inches)
2. Tolerance is $\pm 0.25\text{mm}$ ($0.01''$) unless otherwise noted.