



Part No.	Material	I D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2 θ 1/2	Dimension
				Min.	Typ.		
L-4060VH/2ID	GaAsP/GaP	625	red diffused	8	15	70	1.8mm Bi-Level
L-4060VH/2SRD	GaAlAs	640	red diffused	*70	*200	70	
L-4060VH/2YD	GaAsP/GaP	588	yellow diffused	1.8	5	70	
L-4060VH/2GD	GaP	568	green diffused	5	10	70	
L-4060XH/3ID	GaAsP/GaP	625	red diffused	8	15	70	1.8mm Tri-Level
L-4060XH/3SRD	GaAlAs	640	red diffused	*70	*200	70	
L-4060XH/3YD	GaAsP/GaP	588	yellow diffused	1.8	5	70	
L-4060XH/3GD	GaP	568	green diffused	5	10	70	
L-934CB/1ID	GaAsP/GaP	625	red diffused	8	20	60	T-1 (3mm) Right Angle
L-934CB/1SRD	GaAlAs	640	red diffused	*110	*300	60	
L-934CB/1YD	GaAsP/GaP	588	yellow diffused	5	15	60	
L-934CB/1GD	GaP	568	green diffused	8	20	60	
L-934EW/1ID	GaAsP/GaP	625	red diffused	8	20	60	T-1 (3mm) Right Angle
L-934EW/1SRD	GaAlAs	640	red diffused	*110	*300	60	
L-934EW/1YD	GaAsP/GaP	588	yellow diffused	5	15	60	
L-934EW/1GD	GaP	568	green diffused	8	20	60	

NOTES:

1. All dimensions are in millimeters (inches).
2. Tolerance is $\pm 0.25\text{mm}$ ($0.01''$) unless otherwise noted.