

## DALI magic

### DALI magic | USB to DALI programming interface



#### Product family features

- USB DALI converter for Tuner4TRONIC and DALI wizard software for Windows PC
- Pushbutton to test DALI dimming without need of connection to computer
- Powered by USB or by included universal power supply
- Integrated automatic DALI supply of up to 64 devices (up to 4 if powered by USB)

#### DALI wizard software features (included)

- Intuitive configuration of up to 64 DALI electronic control gears
- Offline / Online configuration of DALI installations
- “DALI-Spy”-functionality for recording DALI line data flow

#### Tuner4TRONIC software features

- Programming of OSRAM ECG
- Suitable for the shop floor environments
- Performs fast manual and automatic programming
- Easily enables the use of the pre-parameterization service

#### Areas of application

- Configuration of DALI ECG functions
- Monitoring of DALI installations


## Product datasheet

### Technical data

#### Electrical data

Nominal voltage	100...240 V
Mains frequency	50...60 Hz
System wattage	7.00 W

#### Dimensions & weight



Product weight	370.00 g
Length	120.0 mm
Width	76.0 mm
Height	28.0 mm

#### Colors & materials

Product color	White
---------------	-------

#### Certificates & standards

Type of protection	IP20
--------------------	------

#### Logistical data

Commodity code	851762000000
----------------	--------------



### Equipment / Accessories

- Universal power supply (100...240 V<sub>AC</sub>, 5.9 V<sub>DC</sub>, 1.15 A, EU plug)
- USB cable (male A to male B), 180 cm
- Bipolar plug for DALI connection

## Product datasheet

---

### Download Data

File	
	Declarations of conformity 334886_Declaration of conformity &#150; DALI magic
	CAD data 3-dim 328821_DALI MAGIC

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899039551	DALI magic	Shipping carton box 1	148 mm x 98 mm x 135 mm	1.96 dm <sup>3</sup>	376.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

Compatible software available at

▶ [www.osram.com/software](http://www.osram.com/software)

Tuner4TRONIC software available at

▶ [www.osram.com/t4t](http://www.osram.com/t4t)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.