



2.30-2.67  
[.090-.105]

(1.93)  
[.076]

SECTION A-A  
SCALE 20:1

1.91±0.05  
[.075±.002]

LOCALIZED PLATE AREA

LOCALIZED PLATE AREA

11.18  
[.440]

(4.95)  
[.195]

0.25 MAX CUT OFF  
[.010]

1.57-1.95  
[.062-.077]

(1.55)  
[.061]

SECTION B-B  
SCALE 20:1

1471-9 (3/11)

METRIC

1. WIRE RANGE .13 - .35 mm<sup>2</sup> (26 -22 AWG).

2. INSULATION RANGE 0.89 - 1.65 [.035 - .065].

3 0.00038 [.000015] MIN GOLD STRIPE IN LOCALIZED AREA OVER 0.00127 [.000050] MIN NICKEL OVER ENTIRE CONTACT -OR- GOLD FLASH OVER PALLADIUM-NICKEL .00038 [.000015] MIN TOTAL IN LOCALIZED AREA OVER .00127 [.000050] MIN NICKEL OVER ENTIRE CONTACT.

4 0.00076 [.000030] MIN GOLD STRIPE IN LOCALIZED AREA OVER 0.000127 [.000050] MIN NICKEL OVER ENTIRE CONTACT. -OR- GOLD FLASH OVER PALLADIUM-NICKEL .00076 [.000030] MIN TOTAL IN LOCALIZED AREA OVER .00127 [.000050] MIN NICKEL OVER ENTIRE CONTACT.

5. NOT FOR USE IN HOUSING PART NUMBER 770602.

6 CONTACTS COATED WITH ANTI-FRETTING LUBRICANT.

4	PH BRZ	1445336-3
3	PH BRZ	1445336-2
PRE-TIN	PH BRZ	1445336-1
FINISH	MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. WHITAKER 21-JUNE-2001	TE Connectivity	
DIMENSIONS: mm[ INCHES]		CHK J. ELLIS 21-JUNE-2001	NAME CONTACT, LOOSE PIECE, CST 100 11	
<div><div></div></div>		APVD J. ELLIS 21-JUNE-2001	SIZE A200779	
		PRODUCT SPEC 108-1948	DRAWING NO C-1445336	
MATERIAL SEE TABLE		APPLICATION SPEC 114-13036	RESTRICTED TO -	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.13 [.005] 3 PLC ± 4 PLC ± ANGLES ± FINISH		WEIGHT -	SCALE 15:1	
SEE TABLE		CUSTOMER DRAWING	SHEET 1 OF 1	
			REV BI	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1445336-1](#)