

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DY

	DIST
--	------

—

REVISIONS

2

LTR

DESCRIPTION

DATE _____

DWN

APVD

E4	ADD new p/n with width cavity
----	-------------------------------

15APR15

1.	T
----	---

W. H.

Notes:

 CUTOUT FEATURE AVAILABLE ONLY
ON 5H ASSY P/N -1 (40P) AND -2 (60P).

0.00038 MIN GOLD PLATING
(15u INCHES GOLD PLATING)

3 CONNECTOR DIMENSIONS REFERENCED FROM
DRAWING WHICH CONN. P/Ns BASED

HALOGEN FREE

DIRECTION OFF TOP OF REEL

Technical drawing of a rectangular plate with four vertical slots. The plate has a central dashed rectangle. Dimensions include a width of 4, a distance of 2 between the first and second slots, a slot width of $\varnothing 1.5$, and a total height of 10. The drawing is labeled with 'A' and 'B' for dimensions.

6.6

D

0.25

G

J

DETAIL B

Technical drawing of a cross-section of a mechanical part. The drawing shows a central cavity with a width dimensioned as H . To the right of the cavity, there is a dimensioned feature labeled (6.3) . Below the main body, there is a label (1) . On the left side, a label **LOCATION BOSS** points to a specific feature. The drawing uses standard engineering conventions for cross-sections, with hatching indicating the material.

Diagram illustrating the winding of the cover tape around the outer periphery in a turn.

Technical drawing of a circular product with three internal lobes. The drawing includes a top view and a cross-section view.

Top View:



- Overall diameter: $\varnothing 330$
- Internal diameter of the dashed circle: 300mm
- Label: "WITHOUT CHARGE APPROX"

Cross-section View:

- Label: "WITH PRODUCT CHARGE"
- Label: "WITHOUT CHARGE APPROX"
- Label: "10 HOLES"
- Label: "WIND AROUND PERIPHERY"

0.00076 MIN GOLD PLATING (30u INCHES GOLD PLATING)																									
450	↑	↑	↑	↑	↑	↑	↑	61.8	88	84.4	42.2	140	1-	-6	7-	-6									
								53.8	↑	↑	↑	120	1-	-5	7-	-5									
								45.8	72	68.4	34.2	100	1-	-4	7-	-4									
								37.8	56	52.4	26.2	80	1-	-3	7-	-3									
	↑	↑	↑	↑	↑	↑	↑	29.8	44	40.4	20.2	60	1-	-2	7-	-2									
								700	7H	12	6.85	7.25	21.8	32	28.4	14.2	40	1-5179030-1	7-5177986-1						
								↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑					
																					550	16	61.8	88	84.4
	53.8	↑	↑	↑	120	-5	6-														-5				
	45.8	72	68.4	34.2	100	-4	6-														-4				
	↑	↑	↑	↑	↑	↑	↑	37.8	56	52.4	26.2	80	-3	6-	-3										
								800	6H	12	5.85	6.25	21.8	32	28.4	14.2	40	5084615-1	6-5177986-1						
↑								↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑							
																			650	16	85.8	104	100.4	50.2	200
	69.8	↑	↑	↑	160	-8	5-												-8						
	61.8	88	84.4	42.2	140	-6	5-												-6						
↑	↑	↑	↑	↑	↑	↑	53.8	↑	↑	↑	120	-5	5-	-5											
							↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑								
																		45.8	72	68.4	34.2	100	-4	5-	-4
																		37.8	56	52.4	26.2	80	-3	5-	-3
29.8	44	40.4	20.2	60	-2	5-												-2							
900	5H	12	12	17	4.85	5.25	21.8	32	28.4	14.2	40	5084614-1	5-5177986-1												

REMARKS	QTY	HEIGHT TYPE	J	H	G	F	E	D	C	B	A	POS	CONN. P/N REF. ONLY	SALEABLE PART NO.
---------	-----	----------------	---	---	---	---	---	---	---	---	---	-----	------------------------	----------------------

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN FLORENCE TAN		30AUG04		 TE Connectivity	
DIMENSIONS: mm		CHK ERIC TNG		-			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		PLUG ASSEMBLY (0.5 BOSS LENGTH) FOR FH 0.8 B-T-B CONN. ON TAPING	
		0 PLC ±- 1 PLC ±0.3 2 PLC ±0.25 3 PLC ±0.2 4 PLC ±- ANGLES ±3°		APVD SF LEONG			
MATERIAL -		FINISH -		PRODUCT SPEC 108-5390		SIZE	
				APPLICATION SPEC 114-5254		CAGE CODE	
				WEIGHT -		DRAWING NO	
				A3		00779	
				C=5177986		RESTRICTED TO	
				CUSTOMER DRAWING		SCALE 2:1	
						SHEET 1 OF 1	
						REV F4	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5177986-2](#)