






REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	APVD
A		REVISED PER ECO-19-003043	26FEB2019	SY	HL



- △ HOUSING MATERIAL: GLASS-FILLED POLYMER.
- △ POST MATERIAL: COPPER ALLOY.
- △ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- △ MARKING ON THIS SIDE.
- △ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- △ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- △ POST FINISH: 0.76µm MIN GOLD IN CONTACT AREA. TIN PLATE ON POSTS.



FINISH	POSITIONS LOADED	ROWS LOADED	NO. OF LOADED POSITION	ASSY PART NUMBER
△	1-32	X X X	96	5650947-4
△	1-32	X X X	96	5650947-5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN J. POLIGNONE CHK A. SHARPE APVD A. SHARPE PRODUCT SPEC	OSMAYOS OSMAYOS OSMAYOS NAME	TE Connectivity ASSEMBLY, PIN, EUROCARD, TYPE C 96 POSITION, .130 SOLDER POST
MATERIAL	FINISH	SIZE	CAGE CODE	DRAWING NO
△/△	△	WEIGHT	A1	00779
CUSTOMER DRAWING		SCALE	5:1	SHEET 1 OF 1